

Lisse - Plate switch - without instructions - 2 gangs 2 way - 10AX White

GGBL1022NIS

Main

Range	Lisse
Aesthetic name	White moulded
Product or component type	Plate switch
Device presentation	Complete product
Colour tint	White
Quantity per set	Set of 1

Complementary

Switch function	2-way
Control type	Rocker
Number of gangs	2 gangs
Device mounting	Wall mounted
Rated current	10 AX at 230 V AC
Connections - terminals	Screw terminals
Material	Urea (carbamide)
Surface finish	Matt
Type of packing	Bag
Height	87 mm
Width	87 mm
Depth	25 mm
Product weight	0.083 kg

Environment

Standards	BS EN 60669-1
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Weight	88 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	13 cm
Package 2 Length	18.5 cm
Package 2 Weight	944.9 g
Unit Type of Package 3	CAR
Number of Units in Package 3	200
Package 3 Height	29 cm
Package 3 Width	38.5 cm
Package 3 Length	50 cm
Package 3 Weight	19.559 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture		
Take-back	No	