

Product datasheet

Specifications



Lisse White moulded - unswitched socket - schuko - 16 A - 230 V - 1 gang - white

Local distributor code:

400893228

GGBL3016A1

⚠ Discontinued on: 15 Aug 2024

⚠ Discontinued

EAN Code: 3606480642579

Main

Range	Lisse
Aesthetic name	White moulded
Product or component type	Unswitched socket
Device presentation	Complete product
Outlet standard	German
Colour tint	Matt white
Quantity per set	Set of 10
Type of packing	Carton

Complementary

Rated current	16 A at 250 V AC 50 Hz
Number of gangs	1 gang
Pilot light	without LED
fixing mode	By screws
Connections - terminals	Screw terminals
Material	Urea (carbamide)
type of installation	Indoor
Depth	43 mm
Width	87 mm
Height	87 mm
Product weight	0.07 kg

Environment

Standards	IEC 60884-1
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	8.700 cm

Package 1 Length	8.700 cm
Package 1 Weight	73.200 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.500 cm
Package 2 Width	18.300 cm
Package 2 Length	22.500 cm
Package 2 Weight	873.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	20.000 cm
Package 3 Width	47.500 cm
Package 3 Length	50.000 cm
Package 3 Weight	9.380 kg

Contractual warranty

Warranty	18 months
-----------------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration